



PRODUCT NAME: Kristi Kuehl Pure Home Paint and Finishes Protective Glaze  
PRODUCT CODE: ESF STAIN & SEALER  
REVISION DATE: 5/19/08

---

**SECTION 1 MANUFACTURER IDENTIFICATION**

HMIS CODES: H F PH  
1 0 0

MANUFACTURER'S NAME: ESFinishes  
ADDRESS: 5140 Commerce Ave Unit C  
Moorpark, CA 93021  
INFORMATION PHONE: (805) 552-4231  
EMERGENCY NUMBER: (805) 660-0633

---

**SECTION 2 HAZARDOUS INGREDIENTS**

REPORTABLE COMPONENTS	AGCIH	OSHA Exposure Limits
CAS NUMBER	WEIGHT TLV/TWA	TWA STEL VAPOR PRESSURE
	PERCENT	PPM PPM MG/M3 mm Hg @ TEMP
NONE		

---

\*Indicates toxic chemical (s) known to the state of California to cause cancer and birth defects, or other reproductive harm. P65 (CA)

---

**SECTION 3 PHYSICAL/CHEMICAL CHARACTERISTICS**

BOILING POINT/RANGE: N/A SPECIFIC GRAVITY (H<sub>2</sub>O – 1.00): 1.0  
VAPOR DENSITY: Greater than air EVAPORATION RATE: Slower than ether.  
COATING V.O.C.: 0 g/l MATERIAL V.O.C.: 0 g/l  
SOLUBILITY IN WATER: Soluble  
APPEARANCE AND ODOR: Liquid, slight odor

---

**SECTION 4 FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT: N/A METHOD USED  
FLAMMABLE LIMITS IN AIR BY VOLUME – LOWER 1.0.0% UPPER: 0.0%  
EXTINGUISHING MEDIA: Water spray, Carbon dioxide, Foam, Dry Chemical.  
SPECIAL FIREFIGHTING FEATURES PROCEDURES:

Avoid confined area unless properly protected against potentially irritating and toxic fumes.

UNUSUAL FIRE AND EXPLOSION HAZARDS  
None

---

**SECTION 5 REACTIVITY DATA**

STABILITY: Stable  
CONDITIONS TO AVOID: None  
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers  
HAZARDOUS DECOMPOSITION OR BYPRODUCTS

Carbon dioxide and/or monoxide, and unidentified organic compounds may be formed during combustion.

HAZARDOUS POLYMERIZATION: Will not occur.

---



## **SECTION 6 HEALTH HAZARD DATA**

**INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE**

**SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE**

**EYE CONTACT:** Can cause minor irritation, redness and tearing

**SKIN CONTACT:** Can cause minor irritation.

**SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE**

Can cause minor irritation.

**INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE**

**HEALTH HAZARDS (ACUTE AND CHRONIC)**

**ACUTE.** Material is slightly alkaline and may irritate eyes and skin.

**CHRONIC:** None recognized.

**CARCINOGENICITY:** NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA

**REGULATED:** No

**MEDICAL CONDITIONS GENERALLY REGULATED BY EXPOSURE**

None recognized

**EMERGENCY AND FIRST AID PROCEDURES**

**EYE CONTACT:** Clean with plenty of water

**SKIN CONTACT:** Clean with soap and water

**INHALATION:** Move affected person to fresh air. Apply artificial respiration if necessary.

Seek medical attention immediately.

**INGESTION:** Drink water to dilute. Do not induce vomiting. Call a physician.

---

## **SECTION 7 PRECAUTIONS FOR SAFE HANDLING AND USE**

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED**

Clean spills immediately with absorbent such as clay or diatomaceous silica.

**WASTE DISPOSAL METHOD**

Dispose of all waste in accordance with federal, state, and local regulations.

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING**

Keep containers closed when not in use. Do not store or handle near heat, flames, and strong oxidants. Store in a cool, well ventilated area.

**OTHER PRECAUTIONS**

Rotate stock, use older materials first, Inspect for leaks on all containers.



---

## **SECTION 8 CONTROL MEASURES**

### **RESPIRATORY PROTECTION**

#### **VENTILATION**

#### **PROTECTIVE GLOVES**

#### **EYE PROTECTION**

#### **OTHER PROTECTIVE CLOTHING OR EQUIPMENT**

Use eye wash and safety shower. Use impervious clothing or change contaminated clothing immediately.

#### **WORK/HYGIENIC PRACTICES**

Wash hands, face, and hair with regular soaps. Clean clothes by normal laundering methods.

---

## **SECTION 9 DISCLAIMER**

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any representation or warranty, expressed or implied, regarding its accuracy or completeness.