



PRODUCT NAME: Kristi Kuehl Pure Home Paint and Finishes Protective Matte Finish

PRODUCT CODE: ESF26

REVISION DATE: 5/1/2013

SECTION 1 MANUFACTURER IDENTIFICATION

HMIS CODES: H F PH

1 0 0

MANUFACTURER'S NAME: ESFinishes
ADDRESS: 5140 Commerce Ave Unit C
Moorpark, CA 93021
INFORMATION PHONE: (805) 552-4231
EMERGENCY NUMBER: (805) 660-0633

SECTION 2 HAZARDOUS INGREDIENTS

REPORTABLE COMPONENTS	AGCIH	OSHA Exposure Limits
CAS NUMBER	WEIGHT PERCENT	TLV/TWA PPM PPM MG/M3 TWA STEL VAPOR PRESSURE mm Hg @ TEMP

None

SECTION 3 PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT/RANGE: 10.0 –0.0 SPECIFIC GRAVITY (H₂O – 1.00): 1.02
VAPOR DENSITY: Greater than air EVAPORATION RATE: Slower than ether.
COATING V.O.C.: 2 g/l MATERIAL V.O.C.: 1g/l
SOLUBILITY IN WATER: Soluble
APPEARANCE AND ODOR: Liquid, mild odor.

SECTION 4 FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: N/A METHOD USED:N/A
FLAMMABLE LIMITS IN AIR BY VOLUME – LOWER: N/A UPPER: N/A
EXTINGUISHING MEDIA: Water spray, Carbon dioxide, Foam, Dry Chemical.
SPECIAL FIREFIGHTING FEATURES PROCEDURES:

Avoid confined area unless properly protected against potentially irritating and toxic fumes.

UNUSUAL FIRE AND EXPLOSION HAZARDS

None

SECTION 5 REACTIVITY DATA

STABILITY: Stable
CONDITIONS TO AVOID: None
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers
HAZARDOUS DECOMPOSITION OR BYPRODUCTS

Carbon dioxide and/or monoxide, and unidentified organic compounds may be formed during combustion.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 6 HEALTH HAZARD DATA

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE



SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

EYE CONTACT: Can cause minor irritation, redness and tearing

SKIN CONTACT: Can cause minor irritation.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Can cause minor irritation.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Can cause nausea, vomiting, diarrhea, and gastrointestinal irritation.

HEALTH HAZARDS (ACUTE AND CHRONIC)

ACUTE: . Material is slightly alkaline and may irritate eyes and skin.

CHRONIC: None recognized.

CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED: No

MEDICAL CONDITIONS GENERALLY REGULATED BY EXPOSURE

None recognized

EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: Clean with plenty of water

SKIN CONTACT: Clean with soap and water

INHALATION: Move affected person to fresh air. Apply artificial respiration if necessary. Seek medical attention immediately.

INGESTION: Drink water to dilute. Do not induce vomiting. Call a physician.

SECTION 7 PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Clean spills immediately with absorbent such as clay or diatomaceous silica.

WASTE DISPOSAL METHOD

Dispose of all waste in accordance with federal, state, and local regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Keep containers closed when not in use. Do not store or handle near heat, flames, and strong oxidants.

Store in a cool, well ventilated area.

OTHER PRECAUTIONS

Rotate stock, use older materials first, Inspect for leaks on all containers.

SECTION 8 CONTROL MEASURES

RESPIRATORY PROTECTION

VENTILATION

PROTECTIVE GLOVES

EYE PROTECTION

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

Use eye wash and safety shower. Use impervious clothing or change contaminated clothing immediately.



WORK/HYGIENIC PRACTICES

Wash hands, face, and hair with regular soaps. Clean clothes by normal laundering methods.

SECTION 9 DISCLAIMER

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any representation or warranty, expressed or implied, regarding its accuracy or completeness.